Name:

## Prelab 5: Resonant Pipes & Harmonic Series

PHYS 1320 Fall 2016

Due at the beginning of class.

1) It is a **very** hot day in Dallas, and the speed of sound is 400 m/s. Given the formula,

$$v = 332 \, \left(\frac{\mathrm{m}}{\mathrm{s}}\right) + 0.6 \, \left(\frac{\mathrm{m}}{\mathrm{s} \, {}^{\circ}\mathrm{C}}\right) \, T,$$

determine the present temperature in Celsius. (We will use  $v_{\text{sound}} = 400 \text{ m/s}$  for the prelab exercise ONLY to make the numbers come out nicely.)

2) OPEN PIPE: Draw the resonant standing wave patterns corresponding to the lowest three frequencies of an OPEN pipe. (You may draw the pressure or displacement wave—your choice.)


$L = \frac{1}{2} \lambda$
$L = \frac{2}{2} \lambda$
$L = \frac{1}{2} \lambda$

You should observe a pattern. We will now calculate the frequency. If  $L=\frac{N}{2}\lambda$  where  $N=1,2,3,\ldots$  then  $\frac{1}{\lambda}=\frac{N}{2L}$ . Using  $v=f\lambda$ , we have:

$$f = \frac{v}{\lambda} = \frac{Nv}{2L}$$

Use this formula, with  $v_{\rm sound} = 400$  m/s to compute the first three resonant frequencies. For the length of the pipe use L = 1 m.

3) CLOSED PIPE: Draw the resonant standing wave patterns corresponding to the lowest three frequencies of a CLOSED pipe. (You may draw the pressure or displacement wave—your choice.)



You should observe a pattern. We will now calculate the frequency. If  $L=\frac{N}{4}\lambda$  where  $N=1,2,3,\ldots$ , then  $\frac{1}{\lambda}=\frac{N}{4L}$ . Using  $v=f\lambda$ , we have:

$$f = \frac{v}{\lambda} = \frac{Nv}{4L}$$

Use this formula, with  $v_{\rm sound}=400~{\rm m/s}$  to compute the first three resonant frequencies. For the length of the pipe use  $L=1~{\rm m}$ .

## 4) COMPARISON:

Fill in the following tables. (Yeah, we only calculated the first three resonances, but you're smart and can figure out the pattern—we will make use of this in the lab.)

## OPEN PIPE

Resonance	Frequency
1	
2	
3	
4	
5	

## CLOSED PIPE

Resonance	Frequency
1	
2	
3	
4	
5	